

ITEM NO.	PICTURE	PRODUCT NAME	DESCRIPTION & FEATURES	UNIT	COST
RD		E-SMART SOLAR WATER HEATER	150LTRS BRAND: REDREN MADE IN INDIA NON-PRESSURIZED	SET	
RD			200LTRS BRAND: REDREN MADE IN INDIA NON-PRESSURIZED	SET	
RD			300LTRS BRAND: REDREN MADE IN INDIA NON-PRESSURIZED	SET	
RD		I-NOVA SOLAR WATER HEATER	250LTRS BRAND: REDREN MADE IN INDIA PRESSURIZED FPC SYSTEM	SET	
RD		TUBES FOR SOLAR WATER HEATER	BRAND : REDREN MADE IN INDIA	PC	
150-DELUXE BH		MOTOR CYCLE	BRAND:LIFAN DOUBLE SHOCK INCLUDES :FULL HELMET & REFLECTIVE VEST LIGHT	PC	
250CC2H-WC BH		3 WHEELER (TUK TUK)	BRAND:LIFAN WATER COOLING INCLUDES :FULL HELMET & REFLECTIVE VEST LIGHT	PC	
SGH		Portable Concrete Mixer	Rollbeta Brand single phase 230V 0.3kw Drum capacity : 134 ltrs Batch output : 100 ltrs Machine weight : 46 kg Made in Italy	PC	
CM350-4C TB		Tilting Drum Concrete Mixer	Drum Capacity: 350 L Mixing Capacity: 280 L Productivity: 4-5 m3/h Bags of Cement per Batch: 1 Bag Drum Rotation Speed: 25-30 rpm Upper Drum Thickness: 3 mm Bottom Drum Thickness: 4 mm Mixing Drum Size: φ800x900 mm Tyre Size and Number: 4x(4.00-12) Engine Type: Air-cooled Diesel Engine 178FS(6HP) Total Weight: 295 kg Overall Size (Lx WxH): 1960x120x1650 mm Packing Size (Lx WxH): 1860x860x1100 mm	Pc	

AC406 AD		CONCRETE MIXER	BRAND: AICO POWER/ENGINE : 6HP DIESEL ENGINE ENGINE SPEED : 1800RPM DRUM CAPACITY : 400L	SET	
CM400-4C TB		Tilting Drum Concrete Mixer	Drum Capacity: 400 L Mixing Capacity: 320 L Productivity: 5-6 m3/h Bags of Cement per Batch: 1 Bag Drum Rotation Speed: 25-30 rpm Upper Drum Thickness: 3 mm Bottom Drum Thickness: 4 mm Mixing Drum Size: $\phi 850 \times 900$ mm Tyre Size and Number: 4x(4.00-12) Engine Type: Air-cooled Diesel Engine 178FS(6HP) Total Weight: 315 kg Overall Size (Lx WxH): 2100x1200x1700 mm Packing Size (Lx WxH): 1960x960x1200 mm	Pc	
CM500-4D TB		Tilting Drum Concrete Mixer	Drum Capacity: 500 L Mixing Capacity: 400 L Productivity: 6-8 m3/h Bags of Cement per Batch: 1.5 Bag Drum Rotation Speed: 20-25 rpm Upper Drum Thickness: 3 mm Bottom Drum Thickness: 4 mm Mixing Drum Size: $\phi 950 \times 900$ mm Tyre Size and Number: 4x(4.00-12) Engine Type: Water-cooled Diesel Engine R180 (8HP) Total Weight: 410 kg Overall Size (Lx WxH): 2160x1200x1750 mm Packing Size (Lx WxH): 2060x1060x1250 mm	Pc	
TM4 AD		CONCRIT MIXER MACHINE	MADE IN INDIA ENGINE : 6.5HP RPM : 1000	SET	
BM5 AD		CONCRIT MIXER MACHINE	MADE IN INDIA ENGINE : 5HP RPM : 1000	SET	


JZC350-DH TB		Reversing Drum Concrete Mixer	Discharging Capacity: 350 L Loading Capacity: 560 L Productivity: 10-14 m ³ /h Bags of Cement per Batch: 2 Bag Drum Thickness: 6 mm Drum Size: $\phi 1460 \times 1850$ mm Engine Type: Water-cooled Yanmar Diesel Engine CY1105 (18HP) Displace of Hydraulic Pump: 30mL/r Drum Rotation Speed: 14 rpm Power of Water Pump: 0.75 KW Max. Size of Aggregate: 60 mm Tyre Size: 6.50-16 Total Weight: 1800 kg Overall Size (Lx WxH): 3150x2400x3200 mm Packing Size (Lx WxH): 2200x2000x2500 mm	Pc	
JZC350-EH TB		Reversing Drum Concrete Mixer (Yellow)	Discharging Capacity: 350 L Loading Capacity: 560 L Productivity: 10-14 m ³ /h Bags of Cement per Batch: 2 Bag Drum Thickness: 6 mm Drum Size: $\phi 1460 \times 1850$ mm Mixing Motor Power: 5.5 KW Tipping Motor Power: 2.2 KW Water Pump Power: 0.55 KW Displace of Hydraulic Pump: 20mL/r Speed of Mixing Drum: 14 rpm Max. Size of Aggregate: 60 mm Tyre Size: 6.50-16 Total Weight: 1600 kg Voltage Standard: 380V, 50Hz, 3-Phase Overall Size (Lx WxH): 2850x2200x3200 mm Packing Size (Lx WxH): 2200x2000x2500 mm	Pc	
FCY15 TB		Hydraulic Site Dumper (Yellow)	Rated Payload: 1500 kg Rated Capacity of Bucket: 840 L Engine Type: Water-cooled Yanmar Diesel Engine CY1105(18HP) Tipping System: Hydraulic Engine Starting Model: Electric Started Structure of Main Model: Rigid Structure Transmission: 4x2, 3 forward gear, 1 reverse gear Max. Travel Speed: 24km/h Grade Ability: 25° Tyre Size: 7.50-16(Front), 5.00-16(Rear) Min Turning Radius: 3500 m Wheel Tread: 1260 mm Wheel Base: 1500 mm Total Weight: 1200 kg Overall Dimension: 2750x1500x2100 mm	Pc	
AD		CONSTRUCTION HOIST	Capacity: 1000kg Made in Italy With Honda GX 270 engine Complete with stand-gantry and two bucket	Set	
AD			Capacity: 500kg Made in Italy With Honda GX 160 engine Complete with stand-gantry and two bucket	Set	

DML-0.5T TB		SMALL LIFTER	Rated Load: 500 kg Bucket Capacity: 120 L Rated Lifting Height: 25 m Arm Length: 2 m Engine Type: Loben Gasoline Engine (13HP) Max. Rotation Angle: 360° Starting Mode: Manually Total Weight: 160 kg Overall Size (LxWxH): 1700x1400x2400 mm	Pc	
		TIRFOR	capacity:1.6ton wire rope size:11.2mm wire rope length: 30mtrs	Pc	
GQ-50 TB		REBAR CUTTER	Cutting Ability(Common Round Steel): ϕ 6-50 mm Cutting Ability(Deformed Steel, Grade II): ϕ 8-40 mm Cutting Speed: 28times/ min Electric Motor Power: 4KW Voltage Standard: 3-Phase, 380V, 50Hz Total Weight: 560 kg Overall Dimension (LxWxH) cm: 143x54x103	Pc	
GW-50 TB		REBAR BENDER	Bending Ability(Common Round Steel): ϕ 6-50 mm Bending Ability(Deformed Steel, Grade II): ϕ 6-42 mm Max. Bending Speed: 14times/ min Electric Motor Power: 4KW Power Supply: 3-Phase, 380V, 50Hz Total Weight: 430 kg Overall Dimension (LxWxH) cm: 88x93x103	Pc	
NM		MANUAL INTERLOCKING SOIL PRESS	SINGLE BLOCK	PC	
ML393A AD		MULTIPURPOSE WOOD WORKING MACHINE	BRAND: LIDA MAX. PLANING WIDTH: 300MM POWER VOLTAGE INPUT: 220V POWER CURRENT OUTPUT: 14A MOTOR: 2.2KW FREQUENCY: 50HZ	PC	
ML 393 ST			Nile Brand Double Shaft 3HP 2850rpm 250 V 14 Amps	Pc	
ML 393 ST			Nile Brand Single Shaft 3HP 2850rpm 250 V 14 Amps	Pc	

PT5125401 VV		TABLE SAW PRESCOTT	Rated voltage:220-240 V~50/60Hz Rated Input power:1800W Knife shaft speed:4500r/min Blade diameter:φ254mmxφ25.4x 40 T Saw max.cutting depth(90°):75mm Saw max.cutting depth(45°):64mm Saw work table:637x427mm Blade tilting range:0-45° 2-side extension table:637x238 Back extension table:427x280mm Overall table size:917x903mm	PC	
MC 900 AD		WOOD LATHE	LIDA BRAND DISTANCE BETWEEN CENTRES: 900MM HEIGHT OF CENTRES :175MM MOTOR :220V/230V 50HZ 550W AMPS:2.4A R.M.P:1420 POWER:550W VOLTAGE 220V/230V HZ:50HZ POLS:4 PHASE :1 CLASS:B	PC	
MJ53435 AD		BANDSAW	LIDA BRAND CAPACITY (HXW): 150MMX350MM POWER VOLTAGE INPUT:220/230V POWER CURRENT OUTPUT:550W 50HZ	PC	
CN		POWER TROWEL	SIZE: 900MM 7.7HP PETROL ENGINE	Pc	
AEW500S AD		ELECTRIC PRESSURE WASHER	AICO BRAND RATED PRESSURE: 3200PSI FLOW: 15LPM ELECTROMOTOR: 3.7kW /5HP R.P.M.: 2800RPM VOLTAGE: SINGLE PHASE 220V FREQUENCY: 50Hz PROTECTION LEVEL: IP 55 ALLOW TEMPERATURE: 0-60C`	PC	
AEW 300S AD			BRAND: AICO 180BAR 2700PSI	PC	

MW		ELECTRIC HIGH PRESSURE WASHER	FASA BRAND 150BAR MAX 2100W 450l/H 260EWBAR	PC	
APW- 150CP AD		ELECTRICAL PRESSURE WASHER	BRAND: AICO 130BAR MAX. 195BAR 240V 50HZ 6.5L/MIN 2200W	PC	
PJW14 VV		HIGH PRESSURE WASHER PRESCOTT	Input Power: 1400W Flow Rate:5.5L/min Work Pressure:70bar Max Pressure: 105bar Hose length:8m Auto stop: YES Self-suction function: YES Detergent Tank Capacity:0.5L/MIN	PC	
LF 2265 BH		PRESSURE WASHER	LIFAN BRAND PRESSURE: 2200 PSI POWER:6.5HP GASOLINE ENGINE	PC	
LF2865 BH			LIFAN BRAND PRESSURE: 2800 PSI POWER:6.5HP GPM:2.5 GASOLINE ENGINE	PC	
AMPW750 AD		GASOLINE HIGH PRESSURE WASHER	Astramilano Brand Rated Pressure: 2400PSI Permissible pressure: 2700PSI Rated Flow: 8.5LPM Max Flow: 9LPM Power: 7HP Rated Speed: 3400rpm Allowable temp: 0-60C°	Pc	
APW650 AD		GASOLINE HIGH PRESSURE WASHER	AICO brand Rated Pressure: 2600PSI Permissible pressure: 2900PSI Rated Flow: 8.5LPM Max Flow: 9LPM Power: 6.5HP Rated Speed: 3400rpm Allowable temp: 0-60C°	Pc	
APW550 AD			AICO brand Rated Pressure: 2200PSI Permissible pressure: 2500PSI Rated Flow: 8.5LPM Max Flow: 9LPM Power: 5.5HP Rated Speed: 3400rpm Allowable temp: 0-60C°	PC	

		MINI CAR PRESSURE WASHER	12V	Set	
CN		GENERATOR	Yamaha Brand 10KVA Single phase	Pc	
CN			Yamaha Brand 6.5KVA single phase	Pc	
TM1000 BH		GENERATOR TAMASHI	LIFAN BRAND VOLTAGE 120V 2HP	PC	
TM1500 BH			LIFAN BRAND VOLTAGE 220V RATED OUTPUT 1 KVA PHASE 1 3HP	PC	
TM1800 BH			LIFAN BRAND VOLTAGE 220V RATED OUTPUT 1.2 KVA PHASE 1 3HP	PC	
LC3000 TP		GENERATOR	Loncin Brand Rated power: 2.3KW max. power: 2.5 KW Rated Frequency: 50Hz Rated Volatge: 240v Rated current: 9.6A Weight: 44kg Manual start (3000w)	Pc	
LG2500CL AD		GENERTOR	AICO BRAND RATED POWER 2.0 KW MAX. OUTPUT 2.2KW	PC	
LT2500CL AD			AICO BRAND RATED VOLTAGE 230V RATED OUTPUT 2.0KW MAX. OUTPUT 2.2KW	PC	
ACT3000CLE AD			AICO BRAND RATED POWER 2.5 KW MAX. POWER 2.8KW	PC	
LF1200 BH		GENERATOR	LIFAN BRAND RATED CURRENT:3.64A VOLTAGE: 220V FREQUENCY: 50HZ C.O.P:0.8KW 1KVA 4STROKE	PC	
LF8000E BH			LIFAN BRAND RATED CURRENT:31.8A VOLTAGE: 220V FREQUENCY: 50HZ RATED OUTPUT:7.0KW MAX OUTPUT:7.5KW PHASE :SINGLE	PC	

BH		DIESEL GENERATOR	POWERLINE BRAND WATER COOLED AC OUTPUT:12KW RPM:1500 PHASE:3 PF:0.8 FREQUENCY:50HZ AC AMP:16	PC	
50BPZ-55 AD		WATER PUMP	BRAND: AICO CAPACITY: 22.28M3/H HEAD: 55M SPEED:2600R/MIN SUCTION: 7-9M POWER: 5.9KW	PC	
MTHP50 MW		WATER PUMP	MITOYO BRAND SINGLE IMPELLER ENGINE TYPE:MT170F(7.0HP) MAX OUT PUT POWER:4.5KW/3600(R/MIN) MAX TORQUE: 12.4N.M/2500(R/MIN) DIAMETER OF INPUT PIPE :50MM(2") DIAMETER OF OUTPUT PIPE:50MM (2") LIFT:65M SUCTION HEAD:7M	PC	
MTHP50 MW			MITOYO BRAND SINGLE IMPELLER ENGINE TYPE:MT170F(7.0HP) MAX OUT PUT POWER:4.5KW/3600(R/MIN) MAX TORQUE: 12.4N.M/2500(R/MIN) DIAMETER OF INPUT PIPE :50MM(2") DIAMETER OF OUTPUT PIPE:50MM (2") LIFT:80M SUCTION HEAD:7M	PC	
SCR-80HX AD		WATER PUMP	HONDA ENGINE CONNECTION DIA: 80MM(3 INCH) MAX CAPACITY :1000L/MIN (264GPW) MAX TOTAL HEAD:32MM (105FT) MAX SUCTION HEAD 8M (26FT) MAX OUTPUT (ROTATION):3.6KW (3600 RPM)	PC	
SCR-50HP AD			HONDA ENGINE CONNECTION DIA: 50MM(2 INCH) MAX CAPACITY :520L/MIN (137GPW) MAX TOTAL HEAD:32MM (105FT) MAX SUCTION HEAD 8M (26FT) MAX OUTPUT (ROTATION):3.6KW (3600 RPM)	PC	
ACP30T AD			Aico Brand Max. Head: 25m Max. Capacity: 50m3/h Max Suction Head: 8m Altitude Height: ≤1000m Max Ambient: 313K Engine: 210 Rated speed: 3600rpm Displacement: 208cc	Pc	

LF20HP BH		WATER	BRAND:LIFAN ENGINE MAX POWER: 6.5 HP 4.8KW SPEED ROTATION:3600RPM HEAD:50MM RATE OF FLOW:37.8M ³ /h PUMP LIFT:60M	PC	
WP-20 CN			6.5HP Outlet Diameter 50: 2" Suction volume: 35m ³ /n Lift: 26m Suction length: 8m Matched power: 168F Required power/speed: 3.68kw/3600r/min	Pc	
ML80 AD		WATER PUMP	Milano brand power: 6.5HP Dia: 76mm (3") Lift: 27 Operation: 3600rpm suction: 7m rated flow: 50m ³ /h	Pc	
AMP80 AD			Astramilano brand Power: 6.5HP Dia: 76mm (3") Lift: 27 Operation: 3600rpm Suction: 7m Rated flow: 50m ³ /h	Pc	
AMP50 AD			ASTRAMILANO BRAND POWER:5.5HP DIA:50MM(2") LIFT:27 OPERATION :3600RPM SUCTION:7M RATED FLOW:23M ³ /H	PC	
WP20 AD			Super Tiger Brand 5.5HP Dia: 50mm (2") Lift: 27 Operation: 3600rpm suction: 7m rated flow: 23m ³ /h	Pc	
WP30 AD			Super Tiger Brand 6.5HP Dia: 76mm (3") Lift: 27 Operation: 3600rpm suction: 7m rated flow: 50m ³ /h	Pc	
ML50 AD			Brand: Milano Power: 5.5HP Dia :50MM (2") Lift :27 Operation :3600RPM Suction:7M Rated flow: 23M ³ /H	Pc	

KPM50 AD			Speroni brand Made in Italy 230v 50Hz 0.5HP Single phase 2850rpm P2 (kW) 0.37 P1(kW) 0.55 Q- 5-35 l/min - H.34-10m	Pc	
CM32 AD		WATER PUMP	Speroni brand Made in Italy 230v 50Hz 1HP Single phase 2850rpm P2 (kW) 0.75 P1(kW) 1.2 Q- 10-125 l/min - H.29-14m	Pc	
AKCP180 AD		WATER PUMP SUBMERSIBLE PUMP	Aico Brand Qmax : 200 l/min Hmax : 60m Suct..Hmax: 9m Size: 1.5" X 1.25" 220V 50Hz 2850 Min KW 2.2 HP 3.0 IN 13A Max. W: 3000	Pc	
WPPLS3STM4-28 MT		SUBMERSIBLE PUMP LENHARD	115M CAPACITY	PC	
QDX1.5-32-0.75A AD		WATER PUMP SUBMERSIBLE PUMP	AICO Brand Power:1HP voltage :220V Current:4.5A Phase :1~ Flow:1.5m 3/h head :32m Frequency: 50hz Insulation class:B Temp: water max:40° Speed :2850r/min IPX8 15M	Pc	
QDX1.5-25-0.55A AD			AICO Brand Power:0.75HP voltage :220V Current:4.5A Phase :1~	Pc	

IN		SUBMERSIBLE PUMP	Made in India 1HP single Phase	Pc	
IN			Made in India 2HP Single Phase	Pc	
IN			Made in India 5HP 3Phase	Pc	
IN		CONTROL PANEL	Made in India 1HP single Phase	Pc	
IN			Made in India 2HP Single Phase	Pc	
IN			Made in India 5HP 3Phase	Pc	
ST		WELDING MACHINE ASHUTOSH	150Amps Made in India Input Supply: 230 / 440 V Phase: 1 / 2 Frequency: 50Hz Max. O.C.V: 60 V PRI. Current: 1.5 A Insulation Class: Class E	Pc	
ST			200Amps Made in India Input Supply: 230 / 440 V Phase: 1 / 2 Frequency: 50Hz Max. O.C.V: 60 V PRI. Current: 1.5 A Insulation Class: Class E	Pc	
ST			250Amps Made in India Input Supply: 230 / 440 V Phase: 1 / 2 Frequency: 50Hz Max. O.C.V: 60 V PRI. Current: 1.5 A Insulation Class: Class E	Pc	
ST			300Amps Made in India Input Supply: 230 / 440 V Phase: 1 / 2 Frequency: 50Hz Max. O.C.V: 60 V PRI. Current: 1.5 A Insulation Class: Class E	Pc	
ST			400Amps Made in India Input Supply: 230 / 440 V Phase: 1 / 2 Frequency: 50Hz Max. O.C.V: 60 V PRI. Current: 1.5 A Insulation Class: Class E	Pc	

TIG-200 TP		TIG WELDING MACHINE	Inverter welder 200AMPS 220V 50/60Hz 7Kw 32A	Pc	
BX1-250C1 AD		WELDING MACHINE	Aico Brand 90A-23.6v~ 250A /30V 50Hz 250AMPS	Pc	
BX1-200C1 AD			Aico brand 200AMPS 80A/23.6V ~200A/28V 50Hz	Pc	
BX1-180CI AD			AICO BRAND 180AMPS -50HZ	PC	
BX1-160CI AD			AICO BRAND 160AMPS 60A/22.4V-160A/26.4	PC	
TLD-250B ST		SPARTEN WELDING MACHINE	Input Single Phase 240V	Pc	
BX6-300B AD		WELDING MACHINE	BRAND: AICO 300AMPS AC. ARC WELDER	PC	
BX1-315 AD		WELDING MACHINE	BRAND: AICO 315AMPS 63A/22.5V-315A/32.6V 50HZ	PC	
ING-MMA1305 DC		INVERTER MMA WELDING MACHINE INGCO	130AMPS EN 60974-1:2005 10A/20.4V-130A/25.2V U1=220-240V ~ I1MAX=25A LLEFT =17A	Pc	
ST		PPR WELDING MACHINE	20-32mm 0 °C- 40°C 220 ±10% V >1 Mn 45-96% 200± °C <5MA	Set	
ST			20-63mm 0 °C- 40°C 220 ±10% V >1 Mn 45-95% 260± °C	Set	

ST		VIBRATOR	Electric Vibrator Motor + Poker Model: ZN-G Voltage: 220 V Power: 1.5 KW Frequency: 50Hz	Set	
ZN-50 TB		ELECTRIC CONCRETE VIBRATOR	Diameter of Matched Vibrator Poker: $\phi 50$ mm Length of Matched Vibrator Poker: 6 m Electric Motor Power: 1.5 KW Rated Current: 3.24 A Motor Rotating Speed: 2840 r/min Voltage: 380 V Frequency: 50Hz Gross Weight of Vibrator: 13 kg Gross Weight of Vibrator Poker: 20 kg Packing Size of Vibrator: 34x28x30 cm Packing Size of Vibrator Poker: 84x84x6 cm	Set	
AD		POKER	Made in Italy Dynapac Type 45mm X 6.0m	PC	
AD			Made in Malaysia Dynapac Type 45mm X 6.0m	PC	
TP			Dynapac Type 25mm	PC	
SWG-2A AD		PIPE BENDER	AICO Brand Bending Angle: $90^{\circ} < \theta < 180^{\circ}$ Max Stroke(mm): 250mm Crimp Range(mm): 1/2 - 2	Set	
SWG-3A AD			AICO Brand Bending Angle: $90^{\circ} < \theta < 180^{\circ}$ Max. Stroke (mm) : 320mm Crimp range (mm) : 1/2 - 3	set	
21T-R2 AD		PIPE TREADING MACHINE	AICO Brand Electrical Capacity: 1/2 - 2" (Pipe) Motor: 750W 220V/50Hz Single Phase Spindle Speed: 28rpm	Pc	

PAS240IL VV		SILENT AIR COMPRESSOR PRESCOTT	24L 220V 50HZ 550W 1400R/MIN 8BAR 0.045M3/MIN	PC	
TC120242 VV		Air compressor TOTAL	Voltage:230V,50Hz Power: 1.5 kW (2 HP) Speed:2850rpm Tank:24L(6.3Gal) Work Pressure:8bar(116Psi) Transport handle Wheels for easy transport Base foot with vacuum cup function Drain cock Pressure controller Pressure gauge and quick coupling for regulated working pressure	PC	
AC225D AD		AIR COMPRESSOR	AICO BRAND ELECTRIC PRESS 8 BAR 115PSI MOTAR 2.5HP 1.8KW TAP CAP 25LTRS	PC	
ZB-0.14/8 MW		AIR COMPRESSOR	POWERPAK BRAND TANK: 50LTRS PRESSURE: 115 PSI POWER:3HP TANK:50L CAPACITY:140L/MIN VOLTAGE:230V FREQUENCY:50HZ	PC	
V-0.25/8 MW			POWERPAK BRAND TANK:100L PRESSURE:115 PSI POWER:3HP CAPACITY :250L/MIN VOLTAGE:230V FREQUENCY:50HZ	PC	
TC125502 VV		Air compressor TOTAL	Voltage:230V,50Hz Power: 1.8 kW (2.5 HP) Speed:2850rpm Tank:50L(13.2Gal) Work Pressure:8bar(116Psi) Transport handle Wheels for easy transport Base foot with vacuum cup function Drain cock Pressure controller Pressure gauge and quick coupling for regulated working pressure Intake filter Non-return valve Safety valve Pump lubricated with oil .	Pc	

ML50B AD		AIR COMPRESSOR	MILANO BRAND ELECTRIC PRESS 8BAR 115PSI MOTOR 2 HP 1.5KW TANK CAP 50LTRS HEAD ϕ 51MM	PC	
ML50E AD			MILANO BRAND PETROL ENGINE PRESS 8BAR 115PSI 5.5HP TANK CAP 50LTRS HEAD ϕ 51MM	PC	
ML100B AD			MILANO BRAND ELECTRIC PRESS 8BAR 115PSI MOTOR 2 HP 1.5KW TANK CAP 100LTRS HEAD ϕ 51MM	PC	
ML100E AD			MILANO BRAND PETROL ENGINE PRESS 8BAR 115PSI 5.5HP TANK CAP 100LTRS HEAD ϕ 51MM	PC	
ML150B AD			MILANO BRAND ELECTRIC PRESS 8BAR 115PSI MOTOR 3HP 2.2KW TANK CAP 150LTRS HEAD ϕ 65mm	Pc	
ML150E			MILANO BRAND PETROL ENGINE PRESS 8BAR 115PSI 5.5HP TANK CAP 150LTRS HEAD ϕ 65MM	PC	
ML200B AD			MILANO BRAND ELECTRIC PRESS 8BAR 115PSI MOTOR 3HP 2.2KW TANK CAP 200LTRS HEAD ϕ 65MM	PC	
ML200E			MILANO BRAND PETROL ENGINE PRESS 8BAR 115PSI 5.5HP TANK CAP 200LTRS HEAD ϕ 65MM	Pc	
ML300B AD			MILANO BRAND ELECTRIC PRESS 8BAR 115PSI MOTOR 3HP 2.2KW TANK CAP 300LTRS HEAD ϕ 65MM	PC	

TTAC1401 VV		AUTO AIR COMPRESSOR TOTAL	Power supply:DC12V Max.pressure:140PSI(10Bar) Max.air flow:35L/min Rated current:10A 1.5M PU hose with Japanese style brass quick-releasing adapter 3M cord with cigarette lighter 2 battery clips 3pcs nozzle adapters.	Pc	
MW		DIESEL ENGINE	POWERPAK BRAND 10HP 7.4KW 1500RPM	PC	
R175A VT		DIESEL ENGINE CIGMA	7.5HP 2600RPM	PC	
C400HD BH		ENGINE	BRAND:CARLTONS UK ENGINE:GASOLINE 13HP BOREXSTROKE:88X64MM MAX POWER IN THEORY:8.2KW/3600RPM POWER RECOMMENDED: 7.5KW/3600RPM	PC	
C290HD BH			BRAND:CARLTONS UK GASOLINE ENGINE 8.5HP	PC	
ML200 AD		ENGINE	Milano brand 7.5HP	Pc	
VT			Cigma Brand 7.5HP	Pc	
GF		AGRICULTURE ENGINE	BRAND: FOOTBALL 7.5 HP	PC	

YL-90L-4 GF		AGRICULTURE MOTOR	ITALIAN MOTOR 2HP-4HP 1.5KW 50HZ 1420R/MIN	PC	
YL-90L-2 GF		AGRICULTURE MOTOR	ITALIAN MOTOR 3HP-2HP 2.2KW 50HZ 2800R/MIN	PC	
YL112M-2 AD		MOTAR	AlCO Brand Single Phase 2850r/min 5HP 3.7Kw 220-240V 50HZ22.1-20.3a	Pc	
YL90L-4 AD			AlCO Brand single phase 2hp 1.5kw 220-240v 9.44 - 8.65 A 1420 r/min	Pc	
ELEMOM 0.5L MT		ELECTRIC MOTOR	0.5HP L/S	PC	
ELEMOM 0.5H MT		ELECTRIC MOTOR	0.5HP - H/SPD	PC	
ELEMOM 0.75L MT		ELECTRIC MOTOR	0.75HP L/S	PC	
ELEMOM 0.75H MT		ELECTRIC MOTOR	0.75HP H/S	PC	
ELEMOM 5.5H MT		ELECTRIC MOTOR	5.5HP H/S	PC	
5010C TP		CUT OFF METAL MACHINE	Tosan Brand no 3750/min 220-230v 50Hz 2200w cutting depth: 120mm	Pc	
PT0935502 VV		ELECTRIC CUT OFF MACHINE PRESCOTT	Ratedvoltage:220-240V~50/60Hz Input Power: 2000W Blade Size: 355mm No-load Speed: 3800r/min Max. cutting capacity:58mm in solid steel pipe 110mm in hollow steel pipe 110x130mm in rectangle	PC	

PT0825501 VV		MITRE SAW PRESCOTT	RATED VOLTAGE: 220-240V-50/60HZ INPUT POWER: 1800W NO-LOAD SPEED: 6000R/MIN BLADE SIZE: 255MM X 25.4MM CAPACITY AT 0 DEGREE: 90.5 X 95MM CAPACITY AT 45 DEGREE: 90.5 X 67MM	PC	
PT0825507 VV		MITRE SAW PRESCOTT	RATED VOLTAGE: 220-240V-50/60HZ INPUT POWER: 1800W NO-LOAD SPEED: 5500R/MIN BLADE SIZE: 255MM/10" BELT DRIVEN	PC	
TP		MORTAR SPRAYER	Rough Cast	Pc	
RS		PLASTERING MACHINE	Proson Brand Rough cast	Pc	
TBG15015 VV		BENCH GRINDER TOTAL	Input power:150W No load speed:2950rpm Wheel size:150 mm Adjustable work rest Including 1 set eye shield	Pc	
GWS 22-230 ST		ANGLE GRINDER Bosch Professional	Rated Power Input: 2,200W No –Load Speed: 6500 rpm Power Output: 380 W Grinding Spindle Thread: M 14 Disc Diameter: 230mm Weight: 5.3 kg	Pc	
GWS 750-115 ST		ANGLE GRINDER Bosch Professional	Rated Power Input: 750W No –Load Speed: 11,000 rpm Power Output: 380 W Grinding Spindle Thread: M 14 Disc Diameter: 115mm Weight: 1.8 kg	Pc	
GWS 6700 ST		ANGLE GRINDER Bosch Professional	Rated Power Input: 670 W No –Load Speed: 12000 rpm Grinding Spindle Thread: M 14 Disc Diameter: 115 mm Length: 298 mm Width: 77 mm Weight: 1.8 kg	Pc	

9555HN GB		GRINDER Makita	125mm 220v 3.4A 840W RPM10000 50-60Hz	Pc	
GA-7020 TP			180mm 220v 10A 2100W RPM7700 50-60Hz	Pc	
BDG2223 AD		GRINDER BLACK & DECKER	Type 01 220-240V 50/60Hz n 6500RPM 2200W M14 Ø230mm	Pc	
DWE492 AD		GRINDER DEWALT	Made in India 220-204V 50/60Hz 2200W 80m/s Max n 6600/min M14 Ø230mm	Pc	
PT0311508 VV		ANGLE GRINDER PRESCOTT	Rated voltage:220-240V~50/60Hz Input Power:1100w No-load Speed:11000r/min Disc Size:115mm	PC	
PT0323001 VV			9" Rated voltage:220-240V Input Power:2400W No-load Speed:6500r/min Disc Size:230mm	PC	
STGL2223 SG		GRINDER STANLEY	9" 220-240V 50-60HZ 2200W 6500/MIN	Pc	
STGL2018 SG			7" 220-240V 50-60HZ 2000W 8500/MIN	Pc	
STGS7115 SG			4.5" 220-240V 50-60HZ 710W 11000/MIN	Pc	

TG501032 VV		ELECTRIC MINI GRINDER TOTAL	Input power:130W No load speed:10000-32000rpm Collet size:3.2mm Spindle lock for accessories change Variable speed for different work With 1 pcs flexible shaft Including 100pcs accessories Packed in blow mould case	PC	
TP1141806 VV		ANGLE POLISHER TOTAL	Voltage: 220V-240V~50-60Hz Input power: 1400W No load speed: 900-3800rpm Disc diameter:180mm Durable aluminum gear box 1pcs polishing pad 1pcs polishing bonnet Packed by color box	PC	
ZQJ4113 AD		DRILL PRESS LIDA	CAPACITY :13MM 220V 50 HZ 240W POWER"250W RPM:1420 1.2A	PC	
ZQJ4116 AD			CAPACITY :16MM 220V 50HZ 375W POWER:375W RPM:1420	PC	
PT2101302 VV		DRILL PRESS PRESCOTT	Max Drill Capacity: 13 mm(1/2") Input Power: 450w Class of Speed: 9 Speed: 4002500/4803000R.P.M. Spinder Travel: 50mm Column Diameter:46mm Swing:230mm Height:610mm Weight:22KG Spindle Taper: B16	PC	
TDP133501 VV		DRILL PRESS TOTAL	Input power: 350W Spindle speed settings:5 No load speed: 580-2650 rpm Max drilling capacity:13mm Spindle travel:50mm Column diameter:46mm Table size:160*160 mm Base size:314*200mm Adjustable working table Net weight:19Kgs Machine height:590mm	Pc	
GBH 2-24 DFR ST		ROTARY HAMMER with SDS –plus Bosch Professional	Rated Power Input: 790W Tool holder: SDS-plus Impact energy: 2,7 J Impact Rate at rated Speed: 0-4200 bpm Rated speed: 0-930 rpm Weight: 2.9 kg	Pc	

TH213006 VT		DEMOLITION BREAKER TOTAL	220-240V 50/60HZ 1300W 3800/MIN	PC	
GBH 2000 ST		ROTARY HAMMER with SDS –plus Bosch Professional	Rated Power Input: 600W Tool holder: SDS-plus Impact energy: 0-1.7 J Impact Rate at rated Speed: 0-4400bpm Rated speed: 0-1400 rpm Weight: 2.3 kg	Pc	
STHR272 ST		ROTARY HAMMER Stanley	220-240V 50/60Hz 850W 3400RPM	PC	
HR2470F CN		ROTARY HAMMER Makita	Concrete: 24mm Steel: 13mm 220-230V 3.6A 50-60Hz 780W RPM 1100 RPM 4500	Pc	
PT0403601 VV		ROTARY HAMMER PRESCOTT	220-240V 50/60HZ 1500W 860R/MIN 4400BPM	PC	
GSB 16 RE ST		IMPACT DRILL Bosch Professional	Rated Power Input: 701 W Impact Rate at no-Load Speed: 0-48000 bpm Drill Spindle Connecting Thread: 1/2"-20 UNF Rated Speed: 0-1640 rpm Weight: 1.9 kg Chuck Type: Keyless Chuck Size: 13 mm	Pc	
PT0201601 VV		IMPACT DRILL PRESCOTT	Metal 10mm/wood 25mm Voltage:220-240V 50/60Hz Drill Capacity:16mm Rated input power:1100watts No-load Speed: 3000r/min Metal 13mm/wood 30mm ALUMINIUM GEAR BOX	PC	
DWD-024 AD		DRILL DEWALT	220-240V 50-60Hz 750W 0-2800/min 13mm	Pc	

KR604 AD		DRILL BLACK & DECKER	Type 3 600W Ø13mm 220-204V 50/60Hz 0-2800/min	Pc	
HP1630 CN		HAMMER DRILL Makita	220V 3.4A 710W 50-60Hz Concrete: 16mm (5/8') Steel: 13mm (1/2') RPM 3200	Pc	
GSB 1300 ST		IMPACT DRILL Bosch Professional	Rated Power Input: 550W Impact Rate at no-Load Speed: 0-41600 bpm Drill Spindle Connecting Thread: 43 Weight: 1.8 kg Width: 253 mm Chuck Size: 13 mm	Pc	
PT0201302 VV		IMPACT DRILL PRESCOTT	Voltage:220-240V~50/60Hz Drill Capacity:13mm Rated input power:810w No-load Speed: 3000r/min Metal 10mm/wood 25mm	PC	
PT0201301 VV		IMPACT DRILL PRESCOTT	220-240V 50/60H 710W 3000R/MIN 13mm	PC	
TG109136 VT		IMPACT DRILL TOTAL	RATED INPUT POWER 850W CHUCK CAPACITY 1.5-13MM RATED VOLTAGE :220-240V-50/60HZ IMPACT RATE:0-43200/MIN	PC	
PED5008-2 DC		ELECTRIC DRILL INGCO	220-240V 50/60H 500W N:0-2800R/MIN Φo.8-10mm	SET	
ED4508 DC		ELECTRIC DRILL INGCO	220-240v 50/60hz 450w n:0-4300R/min φ0.6-6.5mm	SET	

PT0101007 VV		TORQUE ELECTRIC DRILL PRESCOTT	Voltage:220-240V 50/60Hz Drill Capacity:10mm Rated input power:280W No-load Speed: 750r/min Max Torque:21N.M Max Dia.of drilling: Metal 10mm/wood 20mm	Pc	
STDR5206 SG		ELECTRIC SCREW DRIVER STANLEY	220-240V 50/60HZ 520W 4500/MIN	PC	
GSR 1800-LI ST		CORDLESS DRILL/DRIVER Bosch Professional	Torque, max. (soft screwdriving applications): 24Nm Torque, max. (hard screwdriving applications): 18Nm No-load speed (1st gear/2nd gear): 0-400/0-1300-rpm Chuck clamping range: 0,8-10mm Battery voltage: 18V Weight incl. battery: 1.4kg Torque setting: 25+1 Max. drilling diameter in wood: 29mm Max. drilling diameter in steel: 10mm Max. screw diameter: 8mm	Pc	
GSR 1440-LI ST		CORDLESS DRILL/DRIVER Bosch Professional	Torque, max. (soft screwdriving applications): 15Nm Torque, max. (hard screwdriving applications): 30Nm No-load speed (1st gear/2nd gear): 0-420/1400-rpm Chuck clamping range: 1-10mm Battery voltage: 14.4V Weight incl. battery: 1.3kg Torque setting: 25+1 Max. drilling diameter in wood: 25mm Max. drilling diameter in steel: 25mm Max. screw diameter: 7mm	Pc	
GSR14,4-2 CN		CORDLESS DRILL/DRIVER Bosch Professional	Torque, max. (soft screwdriving applications): 15Nm Torque, max. (hard screwdriving applications): 30Nm No-load speed (1st gear/2nd gear): 0-400/0-1400-rpm Chuck clamping min/max: 1-10mm Battery voltage: 14.4V Weight incl. battery: 1.5kg Torque setting: 25+1 Max. drilling diameter in wood: 26mm Max. drilling diameter in steel: 12mm	Pc	
TDLI228120 VT		CORDLESS DRILL	CHARGING VOLTS 220-240V-50/60HZ MAX TORQUE FERCE 20N.M DRILL VOLTS:12V CHUCK CAPECITY 0.8-10MM CHARGING TIME -2HOUR	PC	

PT2000401 VV		44 pcs Accessories CORDLESS SCREWDRIVER PRESCOTT	Ni-cd Voltage:4.8v No-load speed:180rpm Charge:5-7hour Chuck:6.35MM Battery:700mAh Output torque:3Nm Packed in BMC Case	SET	
272 XP ST		POWER SAW HUSQVARNA		Pc	
GKS 235 ST		HAND-HELD CIRCULAR SAW Bosch Professional	Rated Power Input: 2100 W Weight: 7.6 kg No-load speed: 5.000 rpm Saw blade bore diameter: 25.0 mm Saw blade diameter: 235 mm	Pc	
GKS 190 ST		HAND-HELD CIRCULAR SAW Bosch Professional	Rated Power Input: 1400W Weight: 4.1 kg No-load speed: 5.500 rpm Saw blade bore diameter: 20.0 mm Saw blade diameter: 184 mm	Pc	
PT0623502 VV		CIRCULAR SAW PRESCOTT	220-240V 50/60HZ 2400W 235MM 4000R/MIN	PC	
PT0618502 VV			220-240V 50/60Hz 1400W 4500r/min 185mm	Pc	
T51141856 VT		CIRCULER SAW TOTAL	RATED INPUT POWER 1400W NO-LOAD SPEED 4800/MIN DIAMETER OF BLADE :185MM(7-1/4) RATED VOLTAGE :220-240V-50/60HZ MAX.CUTTING CAPACITY:65MM(2-9/16)	PC	
RS8002 DC		RECIPROCATING SAW INGCO	220-240 ~50/60HZ 750W NO:900-3300/MIN CUTTING DEPTH IN WOOD:115MM CUTTING DEPTH IN STEEL:8MM	PC	

3612BR CN		ROTER MACHINE Makita	220V 7.7A 1600W 50-60Hz RPM 23000 12mm hole bit	Pc	
PT1701201 VV		Electric Router PRESCOTT	Rated Voltage:220-240V~50-60Hz Input Power:1500W No-load speed:22000r/min Collecting Capacity:12mm/12.7mm. 6mm & 8mm Collets. 1 pc Spanner.	Pc	
BD46N AD		TABLE SANDER	AICO BRAND POWER : 375W VOLTAGE : 230V 50 Hz DISC DIA. 150MM SIZE OF BELT : 915 X 102MM TABLE SIZE : 190 X 125MM	SET	
GSS 2300 ST		ORBITAL SANDER Bosch Professional	Rated Power Input: 190 W Weight: 1.5 kg No-load orbital stroke rate: 0-24000 opm No-load speed: 0-12000 rpm Oscillating circuit diameter: 2 mm Sanding sheet for clamping, width: 93 mm Sanding sheet for clamping, length: 230	Pc	
PT1512501 VV		ORBIT SANDER PRESCOTT	Rated Voltage:220-240V~50-60Hz Input Power:350W No-Load RPM: 0- 13000 RPM Pad size:φ125mm(5")	PC	
TF1032301 VV		FINISHING SANDER TOTAL	350W 220-240V 50-60HZ 6000-11000RPM BOTTOM BASE: 230 X 115MM	PC	
FS320B DC		FINISHING SANDER INGCO	220-240V ~ 50/60H 320W N:14000/MIN 180X90MM	PC	
PT1562001 VV		ELECTRIC BELT SANDER PRESCOTT	Rated Voltage:220-240V~50-60Hz Input Power:1200W Sanding Speed:550r/min Belt Size:100x610mm Packed in Blow Moulded Case	PC	
PT1609001 VV		ELECTRIC PLANER PRESCOTT	220V-240V 50/60HZ 900W 15000R/MIN	PC	
PT1608201 VV			220-240V 50-60Hz 560W 16000r/min	PC	

GST 65 BE ST		JIGSAW Bosch Professional	Rated Power Input: 400W Weight: 1.7 kg No-load stroke rate: 500-3100spm Cutting depth: 80 mm	Pc	
DW349B-B5 AD		JIGSAW DEWALT	220-240V 50HZ 500W 800-3200/MIN 20MM	Pc	
T52081006 VT		JIG SAW TOTAL	RATED INPUT POWER 800W NO LOAD SPEED 800-3000/MIN CUTTING CAPACITY IN WOOD 110 MM RATED VOLTAGE 220-240V-50/602HZ BEVEL CAPACITY 0+-45 CUTTING CAPACITY IN STEEL 8MM	PC	
GDM 13-34 ST		MARBLE SAW Bosch Professional	Rated Power Input: 1300 W Weight: 2.8 kg No-load speed: 12.000 rpm Saw blade bore diameter: 20.0 mm	Pc	
TS3141102 VV		MARBLE CUTTER TOTAL	Input power: 1400W No load speed: 0-11000rpm Dia of blade:110mm Max cutting capacity:34mm	Pc	
THT576004 VV		TILE CUTTER TOTAL	600mm Tile cutter 1.Max cutting length:600mm 2.Max cutting thickness : 12mm 3.Steel base size:815x195cm 4.Thickness of the base: 2mm 5.With 2 pcs Tungsten carbide blade Blade size : 16x6x3mm 6.Multi-function:direct line cutting, diagonal line cutting 7.Diameter of sliding bar:19mm Packed by carton box	Pc	
PT2255001 VV		ASPIRATOR BLOWER PRESCOTT	Rated Voltage:220- 240V~50-60Hz Rated input power:650w speed:16000r/min Air volume Flow:3.8m³/min Air pressure: 5.5kpa	PC	
TB2066 VV		ASPIRATOR BLOWER TOTAL	Input power:600W No load speed:0-16000rpm Max blowing rate:0-3.5m³/min Variable speed With 1pcs dust bag	Pc	
AB600B DC		ASPIRATOR BLOWER INGCO	220-240 ~50/60HZ 600W N:0-16000/MIN 0-3.5M2/MIN	PC	

TB2046 VT		ASPIRATOR BLOWER TOTAL	RATED INPUT POWER 400W RATED VOLTAGE :220-240V 50/60HZ NO LOAD SPEED:14000/MIN BLOWING RATE: 3.0M2/MIN	PC	
D26414-GB AD		HEAT GUN DEWALT	DIGITAL LED HEAT GUN 220V-240V 50/60HZ 2000W	Pc	
STHX2000 SG		HEATGUN STANLEY	220-240V 50-60Hz 2000W	PC	
GHG 500-2 ST		HEAT GUN Bosch Professional	Rated Power Input: 1600W Weight: 0.8 kg Length: 255mm Height: 255mm	Pc	
KX1650 AD		HEAT GUN BLACK & DECKER	Type 01 220-240V 50/60Hz 1750W	Pc	
PT1925002+ VV		HEAT GUN PRESCOTT	Rated Voltage:220-240V~50-60Hz Input Power:2000W Temperature: I :450°C II :600°C Air Flow: I :300L/M II :500L/M	PC	
TAT81501 VV		2 IN 1 Nailer & Stapler TOTAL	Operation pressure: 4-7Mpa(60-100Psi) Magazine capacity:100Pcs Brad size:15-50mm Ga18,1.25X1.0mm Staple size:16-40mm Ga18,1.25X1.0mm Staple crown:5.7mm Including 1000pcs brad nails+1000pcs staples	PC	
PT3003002 VV		ELECTRIC STAPLE GUN 2 IN 1 PRESCOTT	Rated Voltage:220-240V~50-60Hz Rated Current:9A Rated Filing Speed:≤20pcs/min Staple Spec.:Type 60018G L=15-20mm Brad Nail Spec.: Type F 18g L=15-32mm Nail QTY:100pcs	PC	

PT2750001 VV		ELECTRIC SPRAY GUN PRESCOTT	Rated Voltage:220-240V~50-60Hz Rated Input Power:500W Nozzle size:2.5mm Max. Viscosity:60DIN-s Max. Pressure:0.1-0.2Bar Flow rate:800ml/min Container Capacity: 700ml	PC	
PT2750002+ VV		ELECTRIC SPRAY GUN PRESCOTT	Rated Voltage:220-240V~50-60Hz Rated Input Power:100W Nozzle size:0.8mm Max. Viscosity:50DIN-s Max. Spraying Pressure:140Bar Flow rate:300ml/min Container Capacity: 700ml	PC	
PAT01W71G VV		400cc Spray Gun TOTAL	Standard nozzle:1.5mm Operating pressure:3-4bar Pattern width:180-250mm Air cons:4.2-7.1cfm(119-200l/min) Paint capacity:400ccSuitable for base coat	PC	
ASG4041 DC		SPRAY GUN INGCO	400cc 119-200/min φ1.5mm 180-250mm 1/4"	PC	
RS		BENCH VICE	3" Heavy duty made in india	PC	
RS			4" Heavy duty made in india	PC	
RS			5" Heavy duty made in india	PC	
RS			6" Heavy duty made in india	PC	
RS			8" Heavy duty made in india	PC	
CB-30P VV		BATTERY CHARGER PRESCOTT	Rated Input:220-240v-50/60hz rated capacity:450w. 12V/24V. Max. 220 AMPS	PC	
TT101111 VV		Glue gun TOTAL	Voltage: 220-240V~50Hz Input power:100W Gluing capacity : 10-15g/min Glue stick diameter:11.2mm Ideal for adhesive attachment, model making, repairing, sealing and jointing Mechanical feed system for sensitive	Pc	


GOL 32 D ST		OPTICAL LEVEL Bosch Professional	Length: 215 mm Height: 145 mm Width: 135 mm Accuracy: 1 mm at 30 m Dust and splash protection: IP 54 Weight, approx.: 1.5 kg Tripod thread: 5/8" Unit of measure: 360 degrees Magnification : 32 x Scope of supply: adjusting pin, allen key, lens cover, plumb bob, BT 160 professional tripod and GR 500 levelling staff.	Pc	
CN		LINE LASER MACHINE	Colour red with stand	Pc	
CN			colour green with stand	Pc	
CN		THEODOLITE		Pc	
GLM 15 ST		LASER MEASURE Bosch Professional	Range: up to 50 ft	Pc	
GLM 30 ST		LASER MEASURE Bosch Professional	Range: up to 100 ft	Pc	
CN		DISTANT MEASURE	40m	PC	
RS		JACK PLANE	Duro Brand Made in India No. 4 50mm steel cutter tempered 250mm long (10")	PC	
RS			Duro Brand Made in India No. 5 50mm steel cutter tempered 355mm long (14")	PC	
RS			Schneeberg Brand No. 4	PC	
RS			Schneeberg Brand No. 5	PC	


PB		CONSTRUCTION GREEN NET	50mtrs X 3mtrs	Roll	
AVC20L AD		VACUUM CLEANER	BRAND:AICO WET & DRY VACUUM CLEANER 220-240V 50HZ 1200W	SET	
A00S AD		FLOOR SCRUBBER	BRAND:AICO TYPE : SC-005 VOLTAGE : 220V-/50 HZ POWER : 1100W SPEED OF ROTATION : 154 RPM	SET	
NM		SUGARCANE JUICER	2 IN 1 (ELECTRIC AND MANUAL	PC	
NM		MANUAL CHIPS CUTTER		PC	
MW		CHAFF CUTTER	POWERPAK BRAND 2BLADE PETROL ENGINE/ELECTRIC MOTOR	PC	
MW		CHAFF CUTTER	POWERPAK BRAND 3BLADE PETROL ENGINE/ELECTRIC MOTOR	PC	

GF		CHAFF CUTTER	FOOTBALL BRAND 2 BLADE WITHOUT MOTOR	SET	
GF			FOOTBALL BRAND 3 BLADE WITHOUT MOTOR	SET	
GF			FOOTBALL BRAND 3 BLADE WITHOUT MOTOR	SET	
AC12MW AD		MANUAL LAWN MOWER	BRAND: AICO 12"	PC	
AC16MW AD			BRAND : AICO SIZE 16"	PC	
AC20MW AD			BRAND : AICO SIZE 20"	PC	
WYS18-BS500E-A AD		LAWN MOWER	ENGINE :B&S 500E SERIES 18" DISPLACEMENT:140CC RATED POWER:2.6KW CUTTING WIDTH: 460MM GASOLINE ENGINE	PC	
WYZ22-BS60-A AD			ENGINE :B&S 675EX SERIES 22" DISPLACEMENT:190CC RATED POWER:3.5KW CUTTING WIDTH: 560MM GASOLINE ENGINE	PC	
HKBC-002 AD		4 IN 1 BRUSH CUTTER	PROFESSIONAL BRAND INCLUDES :TILLER,BRUSH CUTTER,WEEDER, RICE HARVESTER .	SET	
PG0105202 VV		3 in 1 BRUSH CUTTER PRESCOTT	Engine:1E44F-5B Engine type:2 stroke Displacement:52CC Rated Power:1.75kw 7000r/min Idle Speed:3000r/min Fuel Tank capacity:1200ml	SET	
AIXBC-52 MW		BRUSH CUTTER	BRAND NAME:MOON MOTOR:2.2KW/4HP SINGLE CYLINDER AIR COOLED TWO STROKE DISCHARGE:52CC	PC	
HKBC-001 AD		BRUSH CUTTER	HAWK KING BRAND	SET	

		MAIZE SHELLER	WITH PETROL ENGINE		
VT		MANUAL SPRAYER	N5-20	PC	
425LC AD		SPRAYER	SOLO SPRAYING AGENT TANK : NOMINAL VOL-15L (3.9 GAL) MAX FILL VOL:13L (3.4 GAL) PUMP SYSTEM:PISTON PUMP PRESSURE TANK VOL:1.3L SPRAY TUBE(PVC): 500MM PRESSURE HOSE:1300MM(51")	PC	
AC767 AD			AICO BRAND REVOLUTION :6500-7500R.P.M PRESSURE:15-25KG/CM2 DISCHARGE:7-10 L/MIN 1.2HP	PC	
RS		FLOUR MILL (GHARGHANTI)	Prince Brand Made in India Electric Fully Automatic Stoneless	PC	
RS		WATER FILTER	Prince Brand A-Star Reverse Osmosis System Made in India	PC	
RS		WATER FILTER	Prince Brand Deziire 15ltrs Tank Capacity Made in India RO Technology Transparent Tank	PC	
RS		SEDIMENT FILTER		PC	

TWPS101 VV		AUTOMATIC PRESSURE SWITCH TOTAL	Starting pressure:1.5bar Max rated current:10A Max allowable pressure:10bar Rated voltage:220V-240V Frequency:50/60HZ Joint screw:inlet G1"male+outlet:G1"female Protection Degree:IP65.	Pc	
HBJ202 DC		BOTTLE JACK INGCO	2TON MIN HIGHT :181MM ADJUSTABLE HEIGHT 48MM LIFTING HEIGHT:116MM 2.6KG	PC	
THT109102 VV		Hydraulic bottle jack TOTAL	Hydraulic bottle jack, 10Ton With safety valve Min. height: 230mm Max. height: 460mm Travel:230mm Net weight : 6.5kg Packed by color box	Pc	
THT10821 VV		Hydraulic floor jack TOTAL	Hydraulic floor jack, 2Ton Min. height: 140mm Max. height: 340mm Travel:200mm Net weight : 8.7kg Packed by color box	Pc	
HFJ201 DC		FLOOR JACK INGCO	2ton Min Hight :140MM max height 340mm travel :200MM 8.7KG	PC	
THT1631 VV		Chain block TOTAL	Rating lift weight:3Ton Lift height:3m Number of load chain:2 Packed by carton	Pc	
THT1651 VV			Rating lift weight:5Ton Lift height:3m Number of load chain:2 Packed by wooden case	Pc	
THT32321 VV		Folding hand riveter TOTAL	Size:815mm,32" Applicable rivet size:3.2mm,4mm,4.8mm,6mm,6.4mm Packed by color box	Pc	
PHDH417 VV		HAND RIVETER PRESCOTT	17"	PC	
HR104 DC		10.5" RIVETER INGCO	APPLICABLE RIVET SIZE: 2.4MM,3.2MM,4MM,4.8MM	PC	

THT111051 VV		Grease Gun TOTAL	Heavy-Duty Grease Gun Taiwan Quality Capacity : 400CC / 14oz Loading way : 14Oz Cartridge / 400CC Bulk Working Pressure : 4500psi Burst Pressure : 10000psi Material : 1.2mm Steel tube + Aluminum-Cast Standard Accessory : 1pcs 12" High Pressure Flexible Nylon Hose 1pcs Metallic Bend Spout	Pc	
AL		SILICONE SEALANT	BLACK/ WHITE/CLEAR	Pc	
ST		AIR TOOLS KIT	5pcs set includes: 1ltr paint sprayer, tire inflator with pressure gauge and lock- on tire chuck, blow gun for cleaning, high pressure engine cleaner with cleaning solution reservoir and 15ft of 1/4" air hose with quick connects	Set	
ATG0601 DC		TYRE INFLATING GUN	INGCO BRAND MAX 12BAR (174PSI)	PC	
AD		DELIVERY PIPE	2" X 100m	Mtr	
AD			3" x 100m	Mtr	
VT		DELIVERY PIPE (FIRE HOSE)	2"X30M 8BAR	ROLL	
VT			3"X30M 8BAR	ROLL	
VT		SUCTION PIPE	2" GREEN	Mtr	
VT			3" GREEN	Mtr	

F74-1030 CN		GLASS SUCKER		Pc	
ST		ELECTRODE HOLDER	BRAND: PROSON 900A	Pc	
ST		WELDING CABLE	16mm	Mtr	
GX160 AD		ENGINE FUEL TANK		PC	
N467980 AD		ARMATURE	For dewalt grinder	PC	
CN		ARMATURE	For grinder, drills and all other power tools	Pc	
BK25 AD		CARBON BRUSH	For dewalt grinder	PAIR	
CN		GEAR	For grinder, drills and all other power tools	Pc	
ST		SWIEL COUPLER		Pc	
THT524101 VV		TIN SPIN TOTAL	Size:10" Drop-forged steel Double dipped grip handle Packed by plastic hanger	PC	

PHCGA12 VV		GER TINSPIN PRESOTT	12" / 300MM	PC	
HPC0442 DC		PVC PIPE CUTTER INGCO	PVC PIPE CUTTER LENGTH:230MM CUTTING DIAMETER :3-42MM	PC	
THT59121 VV		MITRE BOX AND TENON SAW TOTAL	Plastic mitre box with back saw 1pcs plastic mitre box Size:300×140×80, thickness:20mm 1pcs back saw Size:300mm/12" Double Color Handle	Pc	
THT661301 VV		CHALK LINE REEL TOTAL	Chalk line reel Length: 30m With 1 bottle chalk With 1 pcs spirit bubble Packed by double blister	Pc	
TAC451321 VV		13mm Keyless chuck TOTAL	13mm keyless chuck Chuck capacity:2-13mm Connection size:1/2"-20UNF Packed in color box	Pc	
TAC451301 VV		13mm Key chuck TOTAL	Chuck capacity:1.5-13mm Connection size:1/2"-20UNF Packed in color box	Pc	
KC1301.1 DC		CHUCK INGCO	13mm (1/2") chuck with adapter	Pc	
TAC7111151 VV		Polishing pad with flange TOTAL	Diameter:115mm Material:Rubber M14x2 nut For wool polishing bonnet Packed by color box	Pc	
WB10751 DC		WIRE CUP BRUSH INGCO	3" 75MM	PC	
WB11001 DC		WIRE CUP BRUSH INGCO	4" 100MM	PC	
WB20751 DC		WIRE CUP BRUSH INGCO	3" 75MM	PC	

TAC31031 VV		Cup wire brush with nut TOTAL	75mm - 3 Wire dia:0.3mm Thread:M14X2 Packed in double blister	Pc	
TAC34021 VV		Circular grinding wire brush TOTAL	50mm wire:0.35mm Shank dia:6.35mm Packed in double blister	Pc	
TAC34041 VV		Circular grinding wire brush TOTAL	100mm Shank dia:6.35mm(1/4") Packed in double blister	Pc	
TAC35061 VV		Circular grinding wire brush TOTAL	150mm (6") arbor:25.4mm,Reduction ring:22.2mm,16.0mm Packed in color box	Pc	
SG		ROUTER BITS STANLEY	12PCS PER SET	SET	
2609390576 ST		POINTED CHISEL Bosch	Long Life, SDS-plus 250 mm	Pc	
2609390394 ST		FLAT CHISEL Bosch	Long Life, SDS-plus 250 x 20 mm	Pc	
AC		DEMOLITION CHISEL	mole pointed	Pc	
AC			flat	Pc	
AC		COMPRESSOR CHISEL	mole pointed	Pc	
AC			flat	Pc	
DBH1212004 DC		SDS PLUS HAMMER BIT	INGCO BRAND 20MM X 450MM	PC	
DBH1212204 DC		SDS PLUS HAMMER BIT	INGCO BRAND 22MM X 600MM	PC	
DBH1212504 DC		SDS PLUS HAMMER BIT	INGCO BRAND 25MM X 600MM	PC	


2608595055 ST	 	METAL DRILL BITS Bosch	10pcs HSS-G, DIN 338 3 x 33 x 61 mm	Set	
2608595059 ST			10pcs HSS-G, DIN 338 4 x 43 x 75 mm	Set	
2608595062 ST			10pcs HSS-G, DIN 338 5 x 52 x 86 mm	Set	
2608595066 ST			10pcs HSS-G, DIN 338 6 x 57 x 93 mm	Set	
2608595072 ST			5pcs HSS-G, DIN 338 8 x 75 x 117 mm	Set	
2608595077 ST			5pcs HSS-G, DIN 338 10 x 87 x 133 mm	Set	
2608595081 ST			5pcs HSS-G, DIN 338 12 x 101 x 151 mm	Set	
2608680263 ST		HAMMER DRILL BIT Bosch	SDS-plus-1 6 x 100 x 160 mm	Pc	
2608680270 ST			SDS-plus-1 8 x 100 x 160 mm	Pc	
2608680271 ST			SDS-plus-1 8 x 150 x 210 mm	Pc	
2608680273 ST			SDS- plus-1 10 x 100 x 160 mm	Pc	
2608680277 ST			SDS-plus-1 12 x 100 x 160 mm	Pc	
2608680279 ST			SDS- plus-1 12 x 200 x 260 mm	Pc	
2608680283 ST			SDS- plus-1 14 x 200 x 260 mm	Pc	
TACSD4041 VV		HSS twist drill bits set for Cordless Screwdriver TOTAL	4PCS HSS twist drill bit set Shank:1/4" hex Size:1.5,2.5,3.5,4.0mm Titanium finishing,fully ground High quality M2 HSS steel Fully ground drill bits	Set	
TAC190501 VV		SDS PLUS HAMMER DRILL BIT SET TOTAL	5pcs SDS plus kit 6X110mm,8X110mm,10X110mm,10X160mm, 12X160mm Packed in plastic box	Set	
2608595487 ST	 	SELF CUT SPEED SPADE BIT Bosch	Hexagon 16 x 152 mm	Pc	
2608595489 ST			Hexagon 18 x 152 mm	Pc	
2608595491 ST			Hexagon 20 x 152 mm	Pc	
2608595492 ST			Hexagon 22x 152 mm	Pc	
2608595494 ST			Hexagon 25 x 152 mm	Pc	
2608595498 ST			Hexagon 32 x 152 mm	Pc	

2608521039 ST		SCREW DRIVER BIT Bosch	10pcs double ended set	Set	
2608630033 ST		JIGSAW BLADE Bosch	5pcs T 111 C Basic for Wood	Set	
THT250603 VV		6PCS PRECISION SCREWDRIVER BIT TOTAL	6 pcs precision screwdriver Included:PH1, PH0, SL1.4, SL2.0, SL2.4, SL3.0 Packed by plastic box+color box	Set	
TAC2411151 VV		SEGMENTED TURBO CUP GRINDING WHEEL TOTAL	Diameter:115mm Blade width:20mm Arbor:22.22mm Packed by color box	Pc	
TAC2411501 VV			Diameter:150mm Blade width:20mm Arbor:22.22mm Packed by color box	Pc	
TAC25150801 VV		Abrasive grinding wheel TOTAL	Abrasive wheel size: 150x12.7x16mm Abrasive wheel grit: 80 grit For TOTAL item TBG15015 Packed by bulk	SET	
TAC25200361 VV			Abrasive wheel size: 150x12.7x16mm Abrasive wheel grit: 80 grit For TOTAL item TBG15015 Packed by bulk	SET	
2608602191 ST		DIAMOND CUTTING DISC for UNIVERSAL Bosch Professional	115 mm x 22,23 mm x 1,6 mm	Pc	
2608615030 ST			180 mm x 22,23 mm x 2 mm	Pc	
2608602794 ST			230 mm x 22,23 mm x 2,3 mm	Pc	
CN		DIAMOND DISC	7" continuos	Pc	
TSB111555 DC		TCT SAW BLADE INGCO	4-1/2" (115MM) 40 TEETH	PC	


PPTW032351 VV		TCT SAW BLADE PRESCOTT	FOR WOOD 235MM X 2.7MM X 22.2MM 60T	PC	
PPTW032543 VV		TCT SAW BLADE PRESCOTT	FOR ALUMINIUM 255MM X 2.7MM X 22.2MM ARBOUR 25.4MM	PC	
2608640853 ST		CIRCULAR SAW BLADE for OPTILINE WOOD Bosch	184 mm x 20 mm x 2,5 mm , 40T	Pc	
2608640854 ST			184 mm x 20 mm x 2,5 mm , 60T	Pc	
2608640894 ST			235 mm x 35 mm x 2,5 mm , 40T	Pc	
2608640895 ST			235 mm x 35 mm x 2,5 mm , 60T	Pc	
2608642202 ST		CIRCULAR SAW BLADE for MULTI MATERIAL Bosch	254 mm x 30 mm x 3,2 mm , 100T	Pc	
CN		WOOD CIRCULAR BLADE	12" X 60T	Pc	
CN			9" X 60T	Pc	
TAC233523 VV		TCT SAW BLADE FOR ALUMINIUM TOTAL	210mm(8-1/4") 60T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw For TOTAL item TS42142101	Pc	
2608603162 ST		CUTTING DISC BOSCH	9"	Pc	
2608603161 ST			7"	Pc	
2608603159 ST			4"	Pc	
2608603184 ST		GRINDING DISC BOSCH	9"	Pc	
2608603183 ST			7"	Pc	

PAT1152206C VV		FLAP DISC PRESCOTT	115MM X 22.2MM P60	PC	
PAT1152208C VV			115MM X 22.2MM P80	PC	
PAT1152210C VV			115MM X 22.2MM P100	PC	
PAT1152212C VV			115MM X 22.2MM P120	PC	
TAC430801 VV		HOLE CORE CUTTER TOTAL	Core diameter:80mm 1pcs adaptor,110mm,SDS plus,1pcs 8X120mm drill bit Packed in color box	Pc	
TAC430651 VV			Core diameter:65mm 1pcs adaptor,110mm,SDS plus,1pcs 8X120mm drill bit Packed in color box	Pc	
PHSS181 VV		VDE SCREW DRIVER SET PRESCOTT	Slotted:0.5*3.0*75mm0.8*4.0*100mm 1.0*5.5*125mm 1.2*6.5*150mm Phillips:PH0*75mm PH1*100mm PH2*100mm Voltage test screwdriver 140mm CE 200-250V	Set	
PHSSA06 VV		SCREW DRIVER SET PRESCOTT	Slotted : 3X75 , 5X100, 5X150 Phillips : 3X75, 5X100, 6X125	SET	
TACSD30181 VV		18PCS T-handle wrench screwdriver set TOTAL	9pcs 6.35x25MM CR-V screwdriver: bitSL4,SL5,SL6,PH1,PH2,PH3,PZ1,PZ2,PZ3 1PC 5X100MM bit holder with strong magnetic 1PC T-handle Ratchet wrench 1PC 4- 6mm(25mm)adaptor 6PC 1/4" socket: 5,6,7,8,9,10 Packed in plastic box	Set	
PHWSL43 VV		SOCKET SET PRESCOTT	9pcs Combination Spanner 8 ,10,12,13,14,15,16,17,19mm 10pcs 1/4" Dr. Sockets:4-4.5-5-5.5-6-6.5-7-8-9-10 15pcs 1/2 Dr Sockets:1011-12-13-14-15-16-17- 18-19 -20-21-22-23-24 2pcs 1/2" Spark Plug Socket:16,21mm 1pc 1/2" 3way Adaptor 1pc 1/4" sliding Bar 1pc 1/4" Quick Release Ratchet 1pc 1/2" 10 Extension Bar 1pc 1/4" Spinner Handle 1 pc 1/4" 3" Extension Bar	SET	
THT91832 VV		3PCS WOOD FILE SET TOTAL	Size:8"/200mm, T12 Steel Flat wood file 1pcs Half round wood file 1pcs Round wood file 1pcs Packed by double blister	Set	

THT106192 VV		HEX KEY TOTAL	9pcs hex key set(L) material: Cr-V heat treatment and chrome plate size: 1.5-10mm extra long arm packed by double blister	Set	
THTGP341 VV		GEAR PULLER 3 JAW TOTAL	Size:4", 3 Jaws Surface treatment : zinc-plated Range of application:20-120mm	Pc	
TOC1804 VV		Charger TOTAL	Suitable for TOTAL 18V cordless drill TD318104	Pc	
TOC1203 VV			Suitable for TOTALTOOLS 12V cordless drill TD312103	Pc	
TSP9201 VV		Welding mask TOTAL	Welding mask Material:100% PP Glass size:108*50*3mm, movable type glass 1 pcs clear protection glass Packed by carton box	Pc	
PSWG101 VV		WELDING GOGGLES PRESCOTT	Flip design with open-close locking positioning, easy to use. Flexible PVC body, indirect ventilation design. Inner lenses are clear, outer lenses adopt colored inorganic glass.	Pc	
TSP304 VV		Safety goggle TOTAL	Conforms to ANSI Z87.1 and CE EN166; Full-view full-slice structure prevents UV and withstands impact; Fit to wearing the corrective glasses,also can be used as visitors glasses. Can defend against splash particles in the round Packed by double blister	Pc	
TMT11301 VV		STEEL MEASURING TAPE TOTAL	Length & width:30mx12.5mm With metric and inch	Pc	
TMT2601 VV		Spirit level TOTAL	Length : 60cm,Aluminum thickness:1mm	Pc	
TMT2801 VV			Length : 80cm,Aluminum thickness:1mm	Pc	
TMT21001 VV			Length : 100cm,Aluminum thickness:1mm	Pc	
TMT21501 VV			Length : 150cm,Aluminum thickness:1mm	Pc	
TMT22001 VV			Length : 200cm,Aluminum thickness:1mm	Pc	

THT8414091 VV		9pcs paint brush set	9pcs paint brush set 3pcs 1" 2pcs 1.5" 2pcs 2.0" 1pcs 3.0" 1pcs 4.0" Wodden handle High quality bristles Packed by double blister and color card	Set	
THT85921 VV		Roller cover	Material:Acrylic yellow, Size:230mm/9" Fibre height:12mm Packed by plastic bag	Pc	
RS		HACKSAW FRAME	Brand: Proson Material: Harden flat steel Includes 1pc saw blade	Pc	
SH		HACKSAW BLADE		Pc	
AD		ENGINE REGULATOR	FOR AIR COMPRESSURE	PC	
AD		PRESSURE RELEASE VALVE	FOR AIR COMPRESSURE	PC	
AD		L JOINT	FOR AIR COMPRESSURE	PC	
AD		POKER HEAD	Dynapac type	Pc	
AEW300S/AEW50 OS AD		PRESSURE WASHER GUN		Pc	
APW550/650 AD				Pc	

TGTHPH52 VV		High Pressure Hose	Length:5 Meters Material:PVC Match with the Machinery of TGT1122,TGT1131,TGT1133	Pc	
AEW300S/AEW50 OS AD		PRESSURE WASHER PIPE		Pc	
APW 550/650 PIPE AD				Pc	
APW550/650 AD		PRESSURE WASHER PUMP		Pc	
APW550 AD		PRESSURE WASHER REPAIR KIT		Set	
AP650 AD				Set	
AD		PRESSURE WASHER NOZZLE TIP	Green	Pc	
AD			Orange	Pc	
AD			Red	Pc	
AD			Black	Pc	
AD			White	Pc	
1001-1 CN		WALL LIGHT		Pc	
030-1 CN		HALF MOON WALL LIGHT		Pc	
5031 CN		FULL SMALL CEILING LIGHT		Pc	

5020 CN		FULL BIG CEILING LIGHT		Pc	
CN		LED FLOOD LIGHT	100W	Pc	
CN			50W	Pc	
CN		SWITCHES	1G 1W	Pc	
CN		SWITCHES	2G 1W	Pc	
CN			3G 1W	Pc	
CN		D.P. SWITCH	20A	Pc	
CN		SOCKETS	13A Twin Socket	Pc	
CN			13A Single Socket	Pc	
CN		LED STRIP LIGHT		MTR	
CN		LED STRIP LIGHT CONTROLLER		Pc	
AF		WATER PROOOOFING POWDER	sikalite water proofing powder @1kg	PKT	